




3 year guarantee - Made in France

Specific information


MINI GEMINI

(EN) Pulley
(FR) Poulie
(DE) Seilrolle
(IT) Carrucola
(ES) Polea



CE 0082 EN12278

UIAA



individually tested

NFPA CERTIFICATION FOR MINI P59A and GEMINI P66A

THIS MINI / GEMINI MEETS THE AUXILIARY EQUIPMENT REQUIREMENTS OF NFPA 1983, STANDARD ON LIFE SAFETY ROPE AND EQUIPMENT FOR EMERGENCY SERVICES, 2006 EDITION.

MBS 23 KN
L (LIGHT USE)
MEETS NFPA
1983 (2006 ED.)




After removing the notice from the equipment, make a copy of it and keep the original as part of a permanent record that includes the usage and inspection history for the equipment. Keep the copy of the notice with the equipment and refer to it before and after each use. Additional information regarding auxiliary equipment can be found in NFPA 1500, Standard on Fire Department Occupational Safety and Health Program, and NFPA 1983, Standard on Fire Service Life Safety Rope and System Components.

Tracability and Markings

MINI	GEMINI
CE 0082	
<p>a. Body controlling the manufacture of this PPE</p> <p>b. Notified body that carried out the CE type inspection</p> <p>APAVE SUD Europe BP 193, 13322 Marseille Cedex 16 N°0082</p>	
<p>c. Traceability: datamatrix = product reference + individual number</p>	
e. Individual number	
00 000 A 0000	
<p>f. Year of manufacture</p> <p>g. Day of manufacture</p> <p>h. Control or name of inspector</p> <p>i. Incrementation</p>	
<p>d. Rope diameter</p>	


1. Field of application

2. Nomenclature of parts



3. Inspection, points to verify



4. Compatibility



5. Values



5A.

Working load limit
Valeur d'utilisation maxi
Maximale Gebrauchslast
Valore d'utilizzo massimo
Valor de utilización máximo




5B.

Breaking load
Charge de rupture
Bruchlast
Carico di rottura
Carga de rotura




6. Pulley system efficiency

6A. Simple pulley system



with progress capture



Theoretical force




$$F = P$$

$$F = 1,1 P$$

$$F = 2 P$$

6. Pulley system efficiency

6B. 2:1 hauling system



Theoretical force

$$F = 0,5 P$$




$$F = 0,52 P$$



$$F = 0,66 P$$

6C. 3:1 hauling system



$$F = 0,33 P$$


$$F = 0,37 P$$

$$F = 0,40 P$$

$$F = 0,57 P$$

$$F = 0,875 P$$



6D. 4:1 hauling system with progress capture for double pulleys



$$F = 0,25 P$$

$$F = 0,315 P$$

$$F = 0,937 P$$



+ 80°C
 + 176°F
 - 40°C
 - 40°F

(EN) Temperature
 (FR) Température
 (DE) Temperatur
 (IT) Temperatura
 (ES) Temperatura
 (PT) Temperatura
 (NL) Temperatuur
 (SE) Temperatur
 (FI) Lämpötila
 (NO) Temperatur

(RU) Температура
 (CZ) Teplota
 (PL) Temperatura
 (SI) Temperatura
 (HU) Hőmérséklet
 (BG) Температура
 (JP) 気温
 (CN) 温度
 (TH) อุณหภูมิ

(EN) Storage and transport
 (FR) Rangement et transport
 (DE) Lagerung und Transport
 (IT) Sistemazione e trasporto
 (ES) Almacenamiento y transporte
 (PT) Armazenamento e transporte
 (NL) Opbergen en vervoeren
 (FI) Säilytys ja kuljetus
 (NO) Lagring og transport
 (RU) Хранение и транспортировка
 (CZ) Skladování a doprava

(PL) Pakowanie i transport
 (SI) Shranjevanje in transport
 (HU) Tárolás, szállítás
 (BG) Транспорт и съхранение
 (JP) 持ち運びと保管方法
 (KR) 보관과 운송
 (CN) 运输及储存
 (TH) การขนส่งและกการเก็บรักษา

(EN) Cleaning Disinfection
 (FR) Nettoyage Désinfection
 (DE) Reinigung Desinfektion
 (IT) Pulizia Disinfezione
 (ES) Limpieza Desinfección
 (PT) Limpeza Desinfeção
 (NL) Reiniging Ontsmetting
 (SE) Rengöring Desinficering
 (FI) Puhdistus Desinfiointi
 (NO) Rengjøring Desinfisering
 (RU) Чистка Дезинфекция

(CZ) Čištění Desinfekce
 (PL) Czyszczenie Dezynfekcja
 (SI) Čiščenje/razkuževanje
 (HU) Tisztítás
 (BG) Почистване Дезинфекция
 (JP) 手入れ方法 消毒
 (KR) 손소독
 (CN) 清洗 消毒
 (TH) ทำความสะอาดโดย ใช้สารฆ่าเชื้อ

(EN) Drying
 (FR) Séchage
 (DE) Trocknen
 (IT) Asciugamento
 (ES) Secado
 (PT) Secagem
 (NL) Het drogen

(SE) Torkning
 (FI) Kuivaus
 (RU) Тёркинг
 (NO) Tørking
 (CZ) Cyuška
 (PL) Suszenie
 (SI) Sušenje

(HU) Szárítás
 (BG) Сушене
 (JP) 乾燥
 (CN) 使干燥
 (TH) ทำให้งาม

(EN) Maintenance
 (FR) Entretien
 (DE) Wartung
 (IT) Manutenzione
 (ES) Mantenimiento
 (PT) Manutenção
 (NL) Onderhoud
 (SE) Underhåll
 (FI) Huolehtiminen
 (NO) Vedlikehold

(RU) Техническое обслуживание
 (CZ) Údržba
 (PL) Konserwacja
 (SI) Vzdrževanje
 (HU) Karbantartás
 (BG) Поддржане
 (JP) メンテナンス
 (KR) 보양
 (CN) 保养
 (TH) การซ่อมแซม

(EN) Dangerous products
 (FR) Produits dangereux
 (DE) Gefährliche Produkte
 (IT) Prodotti pericolosi
 (ES) Productos peligrosos
 (PT) produtos perigosos
 (NL) Gevaarlijke producten
 (SE) Farliga produkter
 (FI) Vaaralliset tuotteet
 (NO) Farlige produkter
 (RU) Опасная продукция

(CZ) Nebezpečné výrobky
 (PL) Produkty niebezpieczne
 (SI) Nevarne kemikalije
 (HU) Veszélyes termékek
 (BG) Опасни продукти
 (JP) 有害物質
 (KR) 위험물
 (CN) 危险产品
 (TH) วัตถุอันตราย

PETZL

Legends

(EN) Anchor
 (FR) Amarrage
 (DE) Anschlagpunkt
 (IT) Ancoraggio
 (ES) Anclaje
 (PT) Amarração
 (NL) Verankerung

(SE) Förankring
 (FI) Ankkuri
 (NO) Forankring
 (RU) Точка страховки
 (CZ) Ukotvení
 (PL) Punkt stanowiskowy

(SI) Sidrišče
 (HU) Fix pont
 (BG) Закрепване
 (JP) 支点
 (KR) 확보점
 (CN) 确定点
 (TH) สมอ

PETZL
 ZI Cidex 105A
 38920 Crolles
 France
 www.petzl.com/contact

ISO 9001
 Copyright Petzl